

UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Roy HANSSON

Confirmation No. 3524

Serial No. 10/022,373

GROUP 3761

Filed December 20, 2001

Examiner M. M. Kidwell

ABSORBENT ARTICLE WITH
BELT PORTIONS HAVING INDICIA

DECLARATION UNDER 37 CFR 1.131

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

Sir:

Lisbeth EGERÖD, declare that:

- 1. I am a patent attorney employed at the offices of Valea AB (formerly Göteborgs Patentbyrå Dahls AB)
- 2. Prior to September 13, 2000, our firm received instructions from SCA Hygiene Products AB to assess the patentability of, and - in the case of a positive assessment - to draft a new patent application for the

subject-matter of the above identified invention. This is evidenced by Exhibit A.


- 3. Due to general workload and discussions around the project, the priority-founding applications (SE-0004759-7 and US 60/256,482) were filed on December 21 2000.
- 4. Each of the dates deleted from the accompanying Exhibit A is prior to September 13, 2000

The undersigned declares further that all statements made herein of her own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under \$1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Lisbeth EGERÖD

Date

20.05. 2005



Date: 00-

00-09-07 P-10337

+46-31-746 14 46 Dec fex +48-31-746 19 80 EXHIBIT

A

Göteborgs Patentbyrå Dahls AB Att. Suzanne Westberg Sjöporten 4 SE 417 64 GÖTEBORG



Uppdrag att patenterbarhetsbedöma och vid positiv bedömning utarbeta ny patentansökan

Vi ber Er att nyhetsgranska bifogade uppfinningside, och att utarbeta ett förslag till ny svensk patentansökan om nyhetsgranskningen utfaller positivt. Vi bifogar en beskrivning av uppfinningen samt uppgifter om uppfinnaren.

På samma dag som den svenska ansökningen inges, ombedes Ni även inge en US Provisional Patent Application i enlighet med våra stående rutiner. Således önskar vi att Ni översätter den svenska ansökan till engelska parallellt med utarbetandet av denna.

Kortfattade uppgifter om denna ansökan:

Sőkande:

SCA Hygiene Products AB

Uppfinnare:

Roy Hansson Ålegårdsgatan 112 431 50 Mölndal

Handläggare på SCA:s patentavdelning:

Roy Hansson

Handläggare hos Göteborgs Patentbyrå Dahls:

Suzanne Westberg

SCA:s referensnummer:

P-10337

SCA HYGIENE PRODUCTS AB SE-405 03 GÖTEBORG Sweden Visitors' address: Bäckstensgeatan 5, Mölnda' Tel +46 31-746 00 00 Fax +46 31-748 19 00

SCA HYGIENE PRODUCTS AB

Slagord:

"Ögonmåttet"

Ingivningsdag:

1/12-2000

Kostnadsram:

Om kostnaden för den färdiga patentansökan förväntas uppgå till mer än moms skall kontakt tas med mig i god tid för att diskutera det fortsatta arbetet i ärendet.

Fortsatt handläggning av ärendet:

ITS-granskning skall begäras.

Svensk granskningsrapport och föreläggande skall rapporteras med kommentarer och fullständigt förslag till svaromål.

Om instruktioner ej inkommit senast en vecka före fristdatum, förutsatt att ärendet rapporterats i god tid, skall föreläggandet besvaras på lämpligt sätt utan instruktioner från mig.

Kostnader för ansökan debiteras på:

Konto: 861102

Kod: 11

Bilagor etc:

Uppfinningsanmälan

Med vänlig hälsning

SCA HYGIENE PRODUCTS AB

Patentavdelningen

TRANSLATION OF EXHIBIT A - ORDER LETTER FROM SCA HYGEINE PRODUCTS AB TO GÖTEBORGS PATENTBYRÅ DAHLS

Order to assess the patentability and upon positive assessment, to draft a new patent application

We request you to examine the enclosed invention idea, and to draft a proposal for a new Swedish patent application if a positive novelty assessment results. We enclose a description of the invention and details of the inventor.

On the same day as the Swedish application is filed, we request that you also file a US Provisional Patent Application in accordance with our standing instructions. We therefore wish that you translate the Swedish application into English in parallel with drafting it.

Brief details of this application

Applicant:

SCA Hygiene Products AB

Inventor:

Roy Hansson Älegardsgatan 112 431 50 Mölndal

Case responsible in SCA's patent department:

Roy Hansson

Case responsible at Göteborgs Patentbyra Dahls:

Suzanne Westberg

SCA's reference number:

P-10337

Keywozd:

"Measurement by eye"

Filing date:

1/12-2000

Cost framework:

If the costs for the completed patent application are expected to amount to more than kr. excluding VAT, contact should be made with me in good time to discuss continuing work in this case.

Future handling of the case:

ITS-search shall be requested

The Swedish examination report and communications shall be reported with comments and a complete suggestion for a response.

If instructions have not been received latest one week before a deadline, despite the case being reported in good time, the communication shall be answered in the most suitable way without instructions from me.

Costs for the application shall be debited to:

Account: 861102 Code:11

Attachments etc:

Invention report

Yours sincerely

SCA HYGIENE PRODUCTS AB Patent Department

Roy Hansson

I, Edward FARRINGTON, am competent in the Swedish and English languages. I have translated the enclosed Exhibit A from Swedish to English. I hereby declare that ~ to the best of my knowledge and understanding - it is a correct and true translation of this Exhibit.

Edward FARRINGTON

Date

15 /may 2005.

UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Roy HANSSON

Confirmation No. 3524

Serial No. 10/022,373

GROUP 3761

Filed December 20, 2001

Examiner M. M. Kidwell

ABSORBENT ARTICLE WITH
BELT PORTIONS HAVING INDICIA

DECLARATION UNDER 37 CFR 1.131

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Sir:

Roy HANSSON, declare that:

- 1. I am the inventor of claims 5-8 of the aboveidentified patent application and inventor of the subject matter described and claimed therein.
- 2. Prior to September 13, 2000, I had completed my invention as described and claimed in the subject application in Sweden, a WTO country, as evidenced by the following:

FAX:46317790640

a. Prior to September 13, 2000, I

- i. considered the problems involved obtaining correct positioning of belt-type absorbent articles on a wearer;
- ii. realised that users and caregivers most commonly see such articles only from the front of the user;
- iii. provided a solution in which correct positioning of such articles on the back of the user can be guaranteed when the article can only be seen from the front;
 - iv. described this solution with text and figures

b. Prior to September 13, 2000, I

- i. registered the subject-matter of the aboveidentified patent application in the IDEUM database as internal Idea Number 1144
- ii. received assessment of the invention from IDEUM
- iii. transferred the invention to Göteborgs Patentbyra Dahls for assessment of patentability and - in the case of a positive assessment - drafting of patent application.

as evidenced by

- A. Extract from IDEUM database internal Idea Number 1144
- B. Receipt from IDEUM

- C. Order letter from SCA Hygiene AB to Göteborgs Patentbyrå Dahls
- c. Each of the dates deleted from the accompanying Exhibits A-C is prior to September 13, 2000.

The undersigned declares further that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under \$1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

ROY HAMSSON

Date

2005-05-23



Idea form

SCA Hygiene Products AB



Inventors name HANSSON ROY

Department/Consultant

PAT

991109

OGONMATTET

Problem / opportunity: RATT. PLACERAD BALTESPRODURT

OLIKA FÄRGER MED. VEN VÄNDARE MED. VE. FÖR AN VÄNDJEONFAVE. Sketch

BLÖJA

YFTA IN DEN PRONA LINJEN 10T NAVELN FOR NU AV AKTUELL TOOCKLEK.

Description: NAR BALTET AR FIXERAT RUNT MIDJAN PA EN ANVANDARE AV EN, BALTESPRODUKT SA AR DET SUART ATT VETA HURUVIDA DEN ABSORBERANDE BIBJ-DELEN SITTER SYMETRISKT PLACERAD PA RYGGEN AV ANVANDAREN SA ATT SLUTPOSITION FRING AV BLOJOELEN BLIR OPTIMAL MITT PA ANVANDARENS

Please continue on the back

SYMMETRISKA
FORSCAG: INFOR FAREMARKERINGAR PA
VANSTER RESP HOBER BALTESHALVA SA ATT
MAN FRAMIFRAN KAN AVLASA ATT BLOJDELEN
AR RATT PLACERAD BAKTILL. (TEX SYMMETRI KRING WAVEL
MARKERINGARNA BEHOUER GIVETVIS INTE UTGORAS
AU TRAKIGA STRECK SOM VISAS I SKISSEN UTAN
KAN TEX UTGORAS AV SYMMETRISKT PLACERAGE
LAMPLICA FIGURER ELLER TEXT (SMA HASTAR,
ELEFANTER, ELLER ANSIKTEN AU GAMLA
KUNGAR KANSKE BLIR BRA)
DENNA 10E KLACKTES I PROJ STAR-FISH
OCH UTVAROERAS I DETTA PROJEKT.
```

According to the inventor the	invention belongs to category:	Дc
Category A: The invention has been developed in connection with the employment and therefore belongs to the employer	Category B: The invention falls within the field of activities of the employer, but has not been developed in connection with the employment	Category C: The invention does not fall within the field of activities of the employer

#### TRANSLATION OF EXHIBIT A - EXTRACT FROM IDEUM DATABASE INTERNAL IDEA NUMBER 1144

Idea Form SCA Hygiene Products AB

Inventor's Name: ROY HANSSON Department/Consultant: PAT

Date: 991109

Name of the idea: MEASUREMENT BY EYE

Problem/opportunity: CORRECTLY PLACED BELT PRODUCT

#### Sketch:

DIFFERENT COLOURS FOR USERS WITH DIFFERENT WAIST *MEASUREMENTS* 

BELT FIXED AROUND THE USER

DIAPER

LEVEL THE GREEN LINE AGAINST THE NAVEL FOR USER OF THE PRESENT SIZE

Description: WHEN THE BELT IS FIXED AROUND THE WAIST OF A USER OF A BELT-PRODUCT, IT IS DIFFICULT TO KNOW WHETHER THE ABSORBENT DIAPER PORTION IS SITTING SYMMETRICALLY PLACED ON THE BACK OF THE USER SO THAT FINAL POSITIONING OF THE DIAPER PORTION IS OPTIMAL ON THE USER'S BACK.

#### (TURN)

SUGGESTION: INTRODUCE SYMMETRIC COLOR MARKINGS ON THE LEFT AND RIGHT BELT HALVES SO THAT, FROM THE FRONT, ONE CAN READ OFF THAT THE DIAPER PORTION IS CORRECTLY PLACED AT THE REAR (E.G. SYMMETRY ABOUT THE NAVEL). OF COURSE, THE MARKINGS DO NOT NEED TO COMPRISE THE TEDIOUS LINES WHICH ARE SHOWN IN THE FIGURES, BUT MAY ALSO COMPRISE E.G. SYMETRICALLY PLACED SUITABLE FIGURES OR TEXT (SMALL HORSES, ELEPHANTS OR FACES OF OLD KINGS MIGHT BE GOOD).

THIS IDEA WAS HIT UPON IN PROJECT "STAR FISH" AND IS EVALUATED WITHIN THIS PROJECT.

I, Edward FARRINGTON, am competent in the Swedish and English languages. I have translated the enclosed Exhibit A from Swedish to English. I hereby declare that - to the best of my knowledge and understanding - it is a correct and true translation of this Exhibit.

Edward FARRINGTON

Date



Name

٠٠٠,

Roy Hansson

Department

SË +7

Idea no & name:

1144 Ögonmåttet

ID:VALEA



FAX:46317790640

### Dear Roy Hansson

Thank you for your contribution! Ideum has evaluated your idea and it has been given the grade 2 on the reward scale. This rewards in a gift from Ideum.

Ideum has been formed to take care of ideas concerning our products seen from a technical and material view. Our reward system is based on the following:

Strength

-Function

How well is the problem solved

-Idea

How innovative

· Communicable to customer

Weakness

-Communication -Apparent difficulties E.g. process, patent, communication

to solve disadvantages

Bonus

-Correction of points

Rewards

1-2 points=gift / 3 points=400 SEK / 4 points=800 SEK / 5- points=1600 SEK

If you have any questions: please contact us at Ideum.

## EXHIBIT C

Date 00-09-07

reference

pipe lax

1ine +46-31-746 14 46 +46-31-746 19 80 EXMIBIT

Göteborgs Patentbyrå Dahls AB Att. Suzanne Westberg Sjöporten 4 SE 417 64 GÖTEBORG



## Uppdrag att patenterbarhetsbedöma och vid positiv bedömning utarbeta ny patentansökan

Vi ber Er att nyhetsgranska bifogade uppfinningside, och att utarbeta ett förslag till ny svensk patentansökan om nyhetsgranskningen utfaller positivt. Vi bifogar en beskrivning av uppfinningen samt uppgifter om uppfinnaren.

På samma dag som den svenska ansökningen inges, ombedes Ni även inge en US Provisional Patent Application i enlighet med våra stående rutiner. Således önskar vi att Ni översätter den svenska ansökan till engelska parallellt med utarbetandet av denna.

## Kortfattade uppgifter om denna ansökan:

### Sökande:

SCA Hygiene Products AB

### Uppfinnare:

Roy Hansson Alegårdsgatan 112 431 50 Mölndal

## Handläggare på SCA:s patentavdelning:

Roy Hansson

## Handläggare hos Göteborgs Patentbyrå Dahls:

Suzanne Westberg

## SCA:s referensnummer:

P-10337

SCA HYGIENE PRODUCTS AB SE-405 03 GÖTEBORG Sweden Visitors' address: Bäckstensgatan 5, Mõindal Tel +46 31-746 00 00 Fax +46 31-746 19 00

### SCA HYGIENE PRODUCTS AB

### Slagord:

"Ögonmåttet"

## Ingivningsdag:

1/12-2000

### Kostnadsram:

Om kostnaden för den färdiga patentansökan förväntas uppgå till mer än 50 000 kr exkl moms skall kontakt tas med mig i god tid för att diskutera det fortsatta arbetet i ärendet.

## Fortsatt handläggning av ärendet:

ITS-granskning skall begäras.

Svensk granskningsrapport och föreläggande skall rapporteras med kommentarer och fullständigt förslag till svaromål.

Om instruktioner ei inkommit senast en vecka före fristdatum, förutsatt att ärendet om manuscioner ej manuscioner en voca tore manuscioni, iorusant an archier rapporterats i god tid, skali föreläggandet besvaras på lämpligt sätt utan instruktioner från mig.

## Kostnader för ansökan debiteras på:

Konto: 861102

Kod: 11

### Bilagor etc:

Uppfinningsanmälan

Med vänlig hälsning

SCA HYGIENE PRODUCTS AB

Patentaydelningen

TRANSLATION OF EXHIBIT C - ORDER LETTER FROM SCA HYGEINE PRODUCTS AB TO GÖTEBORGS PATENTBYRÅ DAHLS

#### Order to assess the patentability and, upon positive assessment, to draft a new patent application

We request you to examine the enclosed invention idea, and to draft a proposal for a new Swedish patent application if a positive novelty assessment results. We enclose a description of the invention and details of the inventor.

On the same day as the Swedish application is filed, we request that you also file a US Provisional Patent Application in accordance with our standing instructions. We therefore wish that you translate the Swedish application into English in parallel with drafting it.

#### Brief details of this application

#### Applicant:

SCA Hygiene Products AB

#### Inventor:

Roy Hansson Ålegardsgatan 112 431 50 Mölndal

#### Case responsible in SCA's patent department:

Roy Hansson

#### Case responsible at Göteborgs Patentbyra Dahls:

Suzanne Westberg

#### SCA's reference number:

P-10337

#### Keyword:

"Measurement by eye"

#### Filing date:

1/12-2000

#### Cost framework:

If the costs for the completed patent application are expected to amount to more than 50 000 kr. excluding VAT,

contact should be made with me in good time to discuss continuing work in this case.

### Future handling of the case:

ITS-search shall be requested

The Swedish examination report and communications shall be reported with comments and a complete suggestion for a response.

If instructions have not been received latest one week before a deadline, despite the case being reported in good time, the communication shall be answered in the most suitable way without instructions from me.

### Costs for the application shall be debited to:

Account: 861102 Code:11

#### Attachments etc:

Invention report

Yours sincerely

SCA HYGIENE PRODUCTS AB Patent Department

Roy Hansson

I, Edward FARRINGTON, am competent in the Swedish and English languages. I have translated the enclosed Exhibit C from Swedish to English. I hereby declare that - to the best of my knowledge and understanding - it is a correct and true translation of this Exhibit.

Edward FARELNGTON

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.